AQA

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature	I declare this is my own wo	ork.	
GCSE			С
PHYSICS			

Foundation Tier

Wednesday 20 May 2020 Afternoon

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.

Paper 1

- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.





IB/H/Jun20/E10







	Question 1 continues on the next page
	An energy resource that can be reused
	An energy resource that can be replenished quickly
	An energy resource that can be recycled
	An energy resource that can be burned
	[1 mark] Tick (✓) one box.
	What is a renewable energy resource?
0 1.4	The UK government wants more electricity to be generated using renewable energy resources.
	[2 marks]
0 1.3	Explain one environmental effect of generating electricity using a gas-fired power station.
	Number of times greater =
0 1.2	Calculate how many times greater the percentage of electricity generated by gas-fired power stations was in 2018 than in 2014. [2 marks]



Do not write outside the box











02.2	The mass of one rider is 62.5 kg.	Do not write outside the box
	The height of the slide is 16.0 m.	
	gravitational field strength = 9.8 N/kg	
	Calculate the gravitational potential energy of the rider at the top of the slide.	
	Use the equation:	
	gravitational potential energy = mass $ imes$ gravitational field strength $ imes$ height	
	[2 marks]	
	Gravitational potential energy = J	
02.3	At the bettern of the clide the encoded the vider is 10 m/s	
0 2.3	At the bottom of the slide the speed of the rider is 12 m/s.	
	The mass of the rider is 62.5 kg.	
	Calculate the kinetic energy of the rider at the bottom of the slide.	
	Use the equation: kinetic energy = $0.5 \times mass \times (speed)^2$	
	[2 marks]	
	Kinetic energy = J	
	Question 2 continues on the next page	















0 3.3	The potential difference across the lamp is 230 V.	Do not write outside the box
	The current in the lamp is 0.020 A.	
	Calculate the power output of the lamp.	
	Use the equation:	
	power = potential difference × current [2 marks]	
	Power = W	
0 3.4	The potential difference across the lamp is 230 V.	
	Calculate the energy transferred by the lamp when 180 C of charge flows through the lamp.	
	Use the equation:	
	energy transferred = charge flow × potential difference [2 marks]	
	Energy transferred = J	
0 3.5	An electrician needs to replace the light switch in Figure 5 .	
	Describe the possible hazard and the risk to the electrician of changing the light switch.	
	[2 marks]	
	Hazard	
	Risk	
		8



4 A student investigated how the total resistance of identical resistors connected in series varied with the number of resistors. The student used an ohmmeter to measure the total resistance of the resistors. Figure 6 shows the student's circuit with 3 resistors. Figure 6 Ommeter Second colspan="2">Ommeter Ommeter Ommeter Ommeter Ommeter Ommeter							Do
Figure 6 shows the student's circuit with 3 resistors. Figure 6 y figure 6 y figure 6 y figure 6 y figure 6 y figure 6 shows the student's resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. Table 1 shows the student's results for 3 resistors in series. 1 student of resistors for 1 resistor. Table 1 shows the resolution of 1 resistor. Table 1 shows the resolution of the ohmmeter the student used? Tick (~) one box. Table 1 shows the resolution of the ohmmeter the student used? Tick (~) one box. Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Tick (~) one box. Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1 shows the resolution of the ohmmeter the student used? Table 1	0 4				nce of identical r	esistors connected	ou
Figure 6 Ommeter 0		The stu	dent used an ohm	meter to measure	e the total resista	nce of the resistors	5.
Image: product of the second of the sec		Figure	6 shows the stude	ent's circuit with 3	resistors.		
In estudent repeated each reading of resistance three times. Table 1 shows the student's results for 3 resistors in series. Table 1 <u>Table 1 <u>Table 1 <u>Table 1 <u>Table 1 <u>Reading 1 <u>Reading 2 <u>Reading 3 <u>Mean</u> <u>Mean</u> <u>Mean</u> <u>36.0 <u>36.1 <u>36.0</u> <u>36.1</u> <u>36.0</u> <u>36.0</u> <u>36.1</u> <u>36.0</u> <u>36.0</u> <u>36.1</u> <u>36.0</u> <u>36.0</u> <u>36.1</u> <u>36.0</u> <u>36.0</u> <u>36.0</u> <u>36.1</u> <u>36.0</u> <u>36.0</u><!--</u--></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u>				Figure 6			
Table 1 shows the student's results for 3 resistors in series. Table 1 Number of resistors Total resistance in Ω 3 35.9 36.0 36.1 36.0 4. 1 Calculate the mean resistance of 1 resistor. [2 marks] Resistance = Ω A 4. 2 What was the resolution of the ohmmeter the student used? Tick (~) one box.			•-[\triangleleft	mmeter		
Table 1 Number of resistors Total resistance in Ω \overline{A} Reading 1 Reading 2 Reading 3 Mean \overline{A} \overline{A} Calculate the mean resistance of 1 resistor. [2 marks] \overline{A} \overline{A} Calculate the mean resistance of 1 resistor. $[2 marks]$ \overline{A}		The stu	dent repeated eac	ch reading of resis	tance three time	S.	
Number of resistors Total resistance in Ω Reading 1 Reading 2 Reading 3 Mean 3 35.9 36.0 36.1 36.0 4.1 Calculate the mean resistance of 1 resistor. [2 marks]		Table 1	shows the studer	nt's results for 3 re	esistors in series.		
resistors Reading 1 Reading 2 Reading 3 Mean 3 35.9 36.0 36.1 36.0 4.1 Calculate the mean resistance of 1 resistor. [2 marks] Resistance =				Table 1			
Reading 1 Reading 2 Reading 3 Mean 3 35.9 36.0 36.1 36.0 4 1 Calculate the mean resistance of 1 resistor. [2 marks] Resistance = Ω A state of 1 resistor. [2 marks] A state of 1 resistor. [2 marks] Resistance = Ω A state of the ohmmeter the student used? Tick (\checkmark) one box.				Total resis	tance in Ω		
4.1 Calculate the mean resistance of 1 resistor. [2 marks] Resistance = Ω 4.2 What was the resolution of the ohmmeter the student used? Tick (~) one box. [1 mark]	resis	stors	Reading 1	Reading 2	Reading 3	Mean	
$[2 marks]$ $Resistance = _ \ \Omega$ $4 . 2 What was the resolution of the ohmmeter the student used? Tick (\checkmark) \text{ one box.} [1 mark]$	3		35.9	36.0	36.1	36.0	
 4.2 What was the resolution of the ohmmeter the student used? Tick (✓) one box. 	4.1	Calcula	te the mean resist	tance of 1 resistor		[2	marks]
Tick (✓) one box. [1 mark]				Res	istance =		Ω
[1 mark]	4.2	What w	as the resolution of	of the ohmmeter th	ne student used?)	
		Tick (✓) one box.			ſ	1 mark]
		0.1 Ω	0.2	Ω1	.1 Ω		











0 4.5	Predict the mean total resistance of 7 resistors.	Do not write outside the box
	Use Figure 7. [1 mark]	
	Mean total resistance of 7 resistors = Ω	
04.6	Some resistors are connected in series with a battery.	
	When more resistors are added in series, the total resistance increases.	
	Complete the sentences.	
	Choose answers from the box.	
	Each answer may be used once, more than once or not at all. [2 marks]	
	decreases increases remains the same	
	When the number of resistors increases, the potential difference across each resistor When the number of resistors increases, the current in the circuit	8
	Turn over for the next question	



0 5	Radioactive waste from nuclear power stations is a man-made source of background radiation.	Do not write outside the box
0 5.1	Which of the following is also a man-made source of background radiation?	
	[1 mark] Tick (✓) one box.	
	cosmic rays	
	radiotherapy	
	rocks	
	stars	
0 5.2	Nuclear power stations use the process of nuclear fission.	
	Complete the sentences to describe the process of nuclear fission.	
	Choose answers from the box. [3 marks]	
	a neutron a proton an electron	
	cosmic rays energy gamma rays x-rays	
	An unstable nucleus absorbs and splits into two parts.	
	Two or three neutrons are released, as well as	
	and	















Do not write outside the box

A student used the equipment in **Figure 9** to investigate how the pressure of a gas varies with the volume of the gas.





The syringe is filled with air.

Table 2 shows the results.

Table 2

Volume in cm ³	Pressure in kPa
24	100
20	120
12	200
10	240



0 6

06.1	Describe how the student could use the equipment in Figure 9 to obtain the data shown in Table 2. [4 marks]	Do not write outside the box
06.2	Describe what happens to the pressure of the air when the volume of the air is halved. [2 marks]	
	Question 6 continues on the next page	



0 6 . 3 The t

The temperature of the air in the syringe remained constant during the student's investigation.

Which **two** properties of the air particles would change if the temperature increased? [2 marks] Tick (✓) **two** boxes.



Do not write outside the

box







0 7	A student heated water	in an electric kettle.		Do not outsid bo
0 7.1	Water has a high speci	ïc heat capacity.		
	Complete the sentence			
	Choose answers from t	he box.		[2 marks]
	°C	J kç	g s	w
	The specific heat capac	ity of a substance is	the energy needed to	raise the
	temperature of 1	of the sub	stance by 1	
07.2	The kettle circuit contai water reaches 100 °C.	ns a thermistor which	n is used to switch the	kettle off when the
	What is the correct sym	bol for a thermistor?		[1 mark]
	Tick (✓) one box.			



0 7 . 3 The resistance of the heating element in the kettle is 15 Ω. The current in the heating element is 12 A. Calculate the power of the heating element. Use the equation: power = (current) ² × resistance [2 marks]
Use the equation: power = $(current)^2 \times resistance$
power = $(current)^2 \times resistance$
power = (current) ² × resistance [2 marks]
Power =W
Question 7 continues on the next page







0 7.4	The temperature of the water did not start to increase until 10 seconds after the ker was switched on.	Do not write outside the box
	What is the reason for this?	
	[1 ma Tick (✓) one box.	irkj
	Energy is transferred from the surroundings to the kettle.	
	The charge flows slowly through the kettle circuit.	
	The heating element in the kettle takes time to heat up.	
	The power output of the kettle increases slowly.	
07.5	Describe a method the student could have used to obtain the results shown in Figure 10 . [6 mar	ks]
		_
	Question 7 continues on the next page	



			Do not write outside the
0 7 . 6	The mass of water in the kettle was 0.50 kg.		box
	The temperature of the water increased from 20 °C to 100 °C.		
	specific heat capacity of water = 4200 J/kg °C		
	Calculate the energy transferred to the water.		
	Use the Physics Equations Sheet.		
		[3 marks]	
	Energy =	J	
0 7 . 7	The water in the kettle boiled for a short time before the kettle switched off.		
	During this time 5.0 g of water changed to steam.		
	specific latent heat of vaporisation of water = 2260000 J/kg		
	Calculate the energy transferred to change the water to steam.		
	Use the Physics Equations Sheet.		
		[3 marks]	
	Energy =	J	18
	···		











Write down the equation which links current (<i>I</i>), potential difference (<i>V</i>) and resistance (<i>R</i>). [1 mark]	Do not write outside the box
Determine the resistance of the filament lamp when the potential difference across it is 1.0 V. Use data from Figure 12 . [4 marks]	
Resistance =Ω	
A second student did the same investigation. The ammeter used had a zero error. What is meant by a zero error? [1 mark]	
Turn over for the next question	11
	resistance (R). [1 mark] Determine the resistance of the filament lamp when the potential difference across it is 1.0 V. Use data from Figure 12. Use data from Figure 12. [4 marks] Resistance = Ω A second student did the same investigation. The ammeter used had a zero error. What is meant by a zero error? [1 mark]







09.2	Write down the equation which links charge flow (<i>Q</i>), current (<i>I</i>) and time (<i>t</i>). [1 mark]	Do not write outside the box
09.3	The torch worked for 14 400 seconds before the cells needed replacing. The current in the LED was 50 mA. Calculate the total charge flow through the cells. [3 marks]	
	Total charge flow =C	
09.4	When replaced, the cells were put into the torch the wrong way around. Explain why the torch did not work. [2 marks]	
	Question 9 continues on the next page	



09.5	Write down the equation which links efficiency, total power input and useful power output.	Do not write outside the box
	[1 mark]	
0 9 . 6	The total power input to the LED was 0.24 W.	
	The efficiency of the LED was 0.75	
	Calculate the useful power output of the LED. [3 marks]	
	Useful power output =W	11











10.3	Write down the equation which links energy transferred (<i>E</i>), power (<i>P</i>) and time (<i>t</i>). [1 mark]	Do not write outside the box
1 0 . 4	The electrical generators can provide 1.5×10^9 W of power for a maximum of 5 hours. Calculate the maximum energy that can be transferred by the electrical generators.	
	[3 marks]	
	Energy transferred = J	
	Question 10 continues on the next page	











Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



