Please check the examination details below before entering your candidate information					
Candidate surname			Other names		
	Centre	Number	Candidate Number		
Pearson Edexcel International GCSE (9–1)		- Trumber			
Monday 13 January 2020					
Afternoon (Time: 2 hours)		Paper R	Reference 4PH1/1P 4SD0/1P		
Physics					
Unit: 4PH1					
Science (Double Award Paper: 1P	d) 4SD	00			

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







FORMULAE

You may find the following formulae useful.

energy transferred = current
$$\times$$
 voltage \times time $E = I \times V \times t$

frequency =
$$\frac{1}{\text{time period}}$$
 $f = \frac{1}{T}$

$$power = \frac{work done}{time taken} \qquad P = \frac{W}{t}$$

$$power = \frac{energy transferred}{time taken} \qquad P = \frac{W}{t}$$

orbital speed =
$$\frac{2\pi \times \text{orbital radius}}{\text{time period}}$$
 $v = \frac{2 \times \pi \times r}{T}$

(final speed)² = (initial speed)² +
$$(2 \times acceleration \times distance moved)$$

$$v^2 = u^2 + (2 \times a \times s)$$

pressure
$$\times$$
 volume = constant $p_1 \times V_1 = p_2 \times V_2$

$$\frac{\text{pressure}}{\text{temperature}} = \text{constant} \qquad \qquad \frac{p_1}{T_1} = \frac{p_2}{T_2}$$

Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.

Answer ALL questions.

1 The passage describes some of the properties of magnets and magnetic fields.
Use words from the box to complete the passage.

aluminiu	ım coppe	er	hard	negative
north	positive	soft	south	steel


Each word may be used once, more than once or not at all.

(5)

(Total for Question 1 = 5 marks)

The north pole of one magnet	will repel the	pole of another magnet.
There is attraction between	and magnets.	
Materials that are difficult to m	agnetise are called	magnetic materials.
The direction of the magnetic f	ield lines for a magnet is from	to south
Iron is a	magnetic material.	

2 A ship floats on the sea.



- (a) The ship floats because of the forces acting on it.
 - (i) The upward force acting on the ship is called upthrust.

This force is shown on the diagram.

Draw another labelled arrow on the diagram to show the other vertical force acting on the ship.

(2)

(ii) Forces are vector quantities.

State what is meant by the term **vector quantity**.

(2)

1	۱iii)	Give	another	evamn	le of	a 1	vector	auantit	٠,
١	Ш	Give	anomei	examp	ie oi	a	vector	quantii	ιy.

(1)



(b)	The upthrust force acting on the ship is proportional to the pressure difference
	between the bottom of the ship and the surface of the sea.

The pressure acting on the ship at the surface of the sea is 100 kPa.

(i) State the formula linking pressure difference, height, density and gravitational field strength (*g*).

(1)

(ii) The bottom of the ship is 15.8 m below the surface of the sea.

Show that the pressure acting on the bottom of the ship is approximately 260 kPa.

[density of seawater = 1030 kg/m^3]

(3)

(iii) Explain why the bottom of the ship is deeper below the surface of the sea when the ship is fully loaded with cargo.

(2)

(Total for Question 2 = 11 marks)



- 3 This question is about electric circuits.
 - (a) Which quantity is defined as the rate of flow of charge?

(1)

- **A** current
- **B** power
- D voltage
- (b) Which quantity is defined as the energy transferred per unit charge passed?

(1)

- **A** current
- B power
- **C** resistance
- D voltage
- (c) Diagram 1 shows an electric circuit with two resistors, R and S.

Some of the values of the current are also shown.




Diagram 1

(i) On Diagram 1, draw a voltmeter to measu	ure the voltage of resistor S.	(2)
(ii) Deduce the readings on the ammeters.		(2)
C	current measured by A ₁ =	
C	current measured by A ₂ =	A
(iii) Resistor R has a resistance of 11 Ω .		
Calculate the voltage across resistor R.		(3)
	voltage =	V
(iv) Explain how the voltage across resistor R	compares with the voltage across	
the battery.		(2)



(d) Diagram 2 shows a different circuit containing a battery, an ammeter and a thermistor.




Diagram 2

Explain how the thermistor can be used to vary the current in this circuit.	
	(3)
(Total for Question 3 = 14 n	narks)

- **4** A student investigates how much pressure she exerts on the ground when she is standing up.
 - (a) The weight of the student is 520 N.
 - (i) State the formula linking weight, mass and gravitational field strength (g).

(1)


(ii) Calculate the mass of the student.

(2)

mass = k

(b) The student measures the area of one of her feet when it is in contact with the ground.

She draws around her foot on a piece of squared paper.



grid not to scale

(i)	The squares on the paper have a side length of 2 cm.		
	Estimate the area of the student's foot in contact with the ground.	(4)	
(ii)	area = State the formula linking pressure, force and area.	(1)	. cm
(iii)	The weight of the student is 520 N.		
	Calculate the pressure the student exerts on the ground when she is standing on both feet.		
	Give the unit.	(3)	

pressure = _____unit

(Total for Question 4 = 11 marks)


5 A bus transports passengers.



© Mikbiz/Shutterstock

(a) The bus stops at certain points in its journey to let passengers get on or off the bus.

The distance-time graph shows part of the bus journey, with sections labelled A to G.



(i) Give the letters of the sections where the bus is stationary.

(1)

12



(ii) Calculate the speed of the bus during section ${\sf C}$ of the journey.

Give your answer in m/s.

(4)

(iii) Explain what the graph shows about the speed of the bus in section E compared with the speed of the bus in section A.


(2)

(b) Another bus travels a distance of 7.0 km in a time of 14 minutes.

This bus travels at a constant velocity.

Complete the velocity-time graph to show the motion of this bus.

(2)




(Total for Question 5 = 9 marks)

6 A teacher makes a hot drink.

He puts the drink in a cup designed to keep the drink hot.

The photograph and cross-section diagram both show the cup.



Explain how the design of the cup keeps the drink hot.	
Refer to methods of energy transfer in your answer.	(6)
(Total for Question 6 =	6 marks)



7 A student uses a syringe containing trapped air to investigate pressure.

Diagram 1 shows the apparatus he uses.





Diagram 1

(a) Diagram 2 shows the pressure gauge when the piston is at its initial position.



© Lubos Chlubny/Shutterstock

Diagram 2

Determine the reading on the pressure gauge.

pressure =kPa

(1)



	plain how the reading on the pressure gauge will change when the piston is	
pu	ished in.	(3)
	e position of the piston is then fixed so that the volume of trapped air in the ringe is now constant.	
Th	e air in the syringe is then cooled.	
(i)	State how the motion of air particles inside the syringe changes when the air is cooled.	
		(1)
(ii)	Explain how the pressure of the trapped air inside the syringe changes when the air is cooled.	
	Refer to particles in your answer.	(3)
······		



- 8 A car is moving along a road.
 - (a) The car has an initial velocity of $26 \, \text{m/s}$.

The car then accelerates at $1.2 \, \text{m/s}^2$ until it reaches a velocity of $35 \, \text{m/s}$.

(i) State the formula linking acceleration, change in velocity and time taken.

(1)

(ii) Calculate the time taken for the car to accelerate to 35 m/s.

(3)

time =s

(b) A radar speed gun is used to measure the speed of the moving car.



© Petar An/Shutterstock

The radar speed gun emits radio waves towards the moving car.

The moving car reflects the radio waves back to a detector on the gun.

The detected radio waves have a different frequency from the emitted radio waves.

This change in frequency is used to measure the speed of the moving car.

Explain this change in frequency when the car is moving towards the radar speed gun.

(Total for Question 8 = 8 marks)



BLANK PAGE

	teacher investigates the penetrating ability of the gamma rays from a gamma source	e.
•	place the gamma source at a distance of 25 cm from a radiation detector place a 1 cm thick absorbing material between the source and the detector measure the radiation count from the source for a time period of 3 s calculate the count rate in counts per second repeat the measurement two more times see teacher repeats this method for different absorbing materials.	
(a)	Name a suitable radiation detector that the teacher could use.	(1)
(b)) State the independent variable in the teacher's investigation.	(1)
(c)	Explain why every absorbing material used in the investigation has a thickness of 1	1 cm. (2)
(d) Suggest one improvement the teacher could make to this method.	(1)




(e) The table shows the teacher's results for seven different absorbing materials.

Absorbing	Count rate in counts per second					
material	Test 1	Test 2	Test 3	Mean		
plastic	248	230	226	235		
copper	138	127	147	137		
wood	226	231	224	227		
aluminium	204	211	190	202		
lead	96	102	92	97		
glass	204	192	190	195		
stone	205	200	205	203		

(i) On the grid, plot a bar chart of the mean count rate for each absorbing material.

(3)



		(Total for Question 9 = 11 ma	rks)
		/Total for Occasion 0 = 11	ulca)
			(2)
	Eva	aluate the student's conclusion.	
(ii		student concludes that plastic is the best absorber of gamma radiation cause plastic gives the largest mean count rate.	
	U	count rate is not a continuous variable	
		count rate is not a continuous variable	
×		count rate is a continuous variable	
×		absorbing material is not a continuous variable	
×	Α	absorbing material is a continuous variable	
(ii) Wł	ny is a bar chart the correct way to display the results?	(1)



- 10 This question is about light.
 - (a) Diagram 1 shows a light ray entering a glass prism.




Diagram 1

(i) Describe what happens to the light ray when it enters the prism at point A. (2)

(ii) State the name of line XY.

(1)

(iii) State the formula linking critical angle and refractive index.

(1)

(iv) The refractive index for the glass in this prism is 1.6

Calculate the critical angle for the glass in this prism.

(3)

critical angle =

(v) Complete Diagram 1 by continuing the path of the light ray from point B.

(2)

(b) Diagram 2 shows a similar prism that is made from a material with a different refractive index.

The critical angle for the material of this prism is 55°

Complete Diagram 2 by continuing the path of the light ray.




Diagram 2

(2)

(Total for Question 10 = 11 marks)

BLANK PAGE




- **11** Technetium-99m is an isotope of the element technetium.
 - (a) Technetium-99m has a half-life of 6 hours.

A sample of technetium-99m has an initial activity of 160 Bq.

Complete the graph to show how the activity of this sample of technetium-99m changes over a period of 24 hours.


(3)



((b) Technetium-99m has a half-life of 6 hours and can be used as a medical tracer.	
	It is injected into a patient's blood and moves around the patient's body.	
	Technetium-99m emits gamma radiation, which is used to locate the position of the tracer in the patient's body.	
	(i) Technetium-99m does not exist naturally.	
	Suggest why technetium-99m is usually made at the hospital where it is used.	(1)
	(ii) Explain why technetium-99m is an effective isotope to use as a medical tracer.	(2)
((c) The gamma radiation emitted by technetium-99m is potentially harmful to human Discuss the risks of using technetium-99m to doctors and to patients.	S. (3)
	(Total for Question 11 = 9 ma	rks)



- **12** The planets Mars and Saturn orbit around the same star, the Sun.
 - (a) The diagram shows the orbital paths of Mars and Saturn.



Draw an orbital path of a comet on the diagram.

(2)

(b) The table gives some information about the orbits of Mars and Saturn.

	Mars	Saturn
Orbital radius in km	2.28×10^{8}	1.43×10^{9}
Orbital speed in km/s	24.1	9.70

Mars completes a number of orbits in the time it takes for Saturn to complete one orbit.

Calculate the number of orbits that Mars completes in the time it takes for Saturn to complete one orbit.

(5)

number of orbits =

(Total for Question 12 = 7 marks)

TOTAL FOR PAPER = 110 MARKS

BLANK PAGE